



DECORATIVE ELECTRICAL ACCESSORIES
2013



- We stock a comprehensive range of decorative electrical accessories, from Concealed Fix to Georgian.
- All products have fully certified interiors from Crabtree, Volex and Eurolite.
- We have over 5000 products in stock with next day delivery as standard.
- In-house assembly to meet your bespoke requirements.
- Technical help with over 10 years experience at Eurolite.
- Suited architectural ironmongery available from Carlisle Brass.

The finishes that Eurolite offer are:

STAINLESS STEEL

Satin SSS
Polished PSS
Black Nickel BN
Matt Black MB
Satin Brass SB
Brass PB

EUROLITE CONCEALED FIX

Polished Chrome ECPC
Satin Nickel ECSN
Black Nickel ECBN

CONCEALED FIX

Polished Brass CPB
Black Nickel CBN
Polished Chrome CPC
Satin Chrome CSC

CONTRACT FLAT PLATE

Polished Brass XFPB
Polished Stainless Steel XFPPSS
Satin Stainless Steel XFSSS

FLAT PLATE

Polished Stainless Steel FPSS
Satin Stainless Steel FSSS

STEPPED EDGE

Satin Chrome SSC
Polished Brass SPB
Polished Chrome SPC

VICTORIAN

Satin Chrome SC
Polished Brass V
Polished Chrome C

GEORGIAN

Polished Brass G

SUPPLY POLICY

It is our policy to distribute our products through a strong network of trade outlets throughout the UK. Please contact our sales office for a list of recommended outlets in your area.

We pride ourselves on our nationwide team of knowledgeable Sales Representatives who are there to assist and support both our distribution network and end customers.

Whether your project is new-build or refurbishment, we ensure our comprehensive catalogue will facilitate your selection of decorative wiring accessories. Whatever is involved we are able to meet your demands with particular attention to detail to ensure complete satisfaction.

SIZES

All sizes are approximate and we reserve the right to change them where necessary and without notice.



PLATE DIMENSIONS	2-3
STAINLESS STEEL	4-21
EUROLITE LOW PROFILE CONCEALED FIX	22-35
CONCEALED FIX FLAT PLATE	36-49
CONTRACT FLAT PLATE	50-61
FLAT PLATE	62-79
STEPPED	80-97
VICTORIAN	98-115
GEORGIAN BRASS	116-133
GRID	134
MODULAR	135
MISCELLANEOUS	136-137



STAINLESS STEEL PLATE




EUROLITE LOW PROFILE CONCEALED FIX PLATE



CONCEALED FIX FLAT PLATE




CONTRACT FLAT PLATE



FLAT PLATE




STEPPED PLATE



VICTORIAN PLATE



GEORGIAN PLATE





1 Gang

10 Amp 2 Way Switch

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN1SWB	PSS1SWB	SSS1SWB	MB1SWB	PB1SWB	SB1SWB
White	BN1SWW	PSS1SWW	SSS1SWW	MB1SWW	PB1SWW	SB1SWW
Matching	BN1SW	PSS1SW	SSS1SW	MB1SW	PB1SW	SB1SW

2 Gang

10 Amp 2 Way Switch

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN2SWB	PSS2SWB	SSS2SWB	MB2SWB	PB2SWB	SB2SWB
White	BN2SWW	PSS2SWW	SSS2SWW	MB2SWW	PB2SWW	SB2SWW
Matching	BN2SW	PSS2SW	SSS2SW	MB2SW	PB2SW	SB2SW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS



3 Gang

10 Amp 2 Way Switch

Dimensions

86x86x7mm

Variations

Switch	BN	PSS	SSS	MB	PB	SB
Black	BN3SWB	PSS3SWB	SSS3SWB	MB3SWB	PB3SWB	SB3SWB
White	BN3SWW	PSS3SWW	SSS3SWW	MB3SWW	PB3SWW	SB3SWW
Matching	BN3SW	PSS3SW	SSS3SW	MB3SW	PB3SW	SB3SW



4 Gang

10 Amp 2 Way Switch

Dimensions

146x86x7mm

Variations

Switch	BN	PSS	SSS	MB	PB	SB
Black	BN4SWB	PSS4SWB	SSS4SWB	MB4SWB	PB4SWB	SB4SWB
White	BN4SWW	PSS4SWW	SSS4SWW	MB4SWW	PB4SWW	SB4SWW
Matching	BN4SW	PSS4SW	SSS4SW	MB4SW	PB4SW	SB4SW

SATIN BRASS FINISH SWITCHES AND SOCKETS USE POLISHED BRASS ROCKERS



20 Amp Intermediate Switch

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNINTB	PSSINTB	SSSINTB	MBINTB	PBINTB	SBINTB
White	BNINTW	PSSINTW	SSSINTW	MBINTW	PBINTW	SBINTW
Matching	BNINT	PSSINT	SSSINT	MBINT	PBINT	SBINT

20 Amp DP Switch

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN20ASVB	PSS20ASVB	SSS20ASVB	MB20ASVB	PB20ASVB	SB20ASVB
White	BN20ASVW	PSS20ASVW	SSS20ASVW	MB20ASVW	PB20ASVW	SB20ASVW
Matching	BN20ASV	PSS20ASV	SSS20ASV	MB20ASV	PB20ASV	SB20ASV

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS



20 Amp DP Switch and Neon

Dimensions

86x86x7mm

Variations

Switch	BN	PSS	SSS	MB	PB	SB
Black	BN20ASWNB	PSS20ASWNB	SSS20ASWNB	MB20ASWNB	PB20ASWNB	SB20ASWNB
White	BN20ASWNW	PSS20ASWNW	SSS20ASWNW	MB20ASWNW	PB20ASWNW	SB20ASWNW
Matching	BN20ASWN	PSS20ASWN	SSS20ASWN	MB20ASWN	PB20ASWN	SB20ASWN

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- UP TO 24 GANG GRIDS MADE TO ORDER
- COMPETITIVE PRICING



13 Amp Unswitched Fuse Spur

Dimensions

86x86x7mm



Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNUSWFB	PSSUSWFB	SSSUSWFB	MBUSWFB	PBUSWFB	SBUSWFB
White	BNUSWFW	PSSUSWFW	SSSUSWFW	MBUSWFW	PBUSWFW	SBUSWFW

13 Amp DP Switched Fuse Spur

Dimensions

86x86x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNSWFB	PSSSWFB	SSSSWFB	MBSWFB	PBSWFB	SBSWFB
White	BNSWFW	PSSSWFW	SSSSWFW	MBSWFW	PBSWFW	SBSWFW
Matching Black	BNSWFBNB	PSSSWFPSB	SSSSWFSSB	MBSWFMBB	PBSWFPBB	SBSWFSBB
Matching White	N/A	PSSSWFPSW	SSSSWFSSW	N/A	PBSWFPBW	SBSWFSBW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS



13 Amp DP Switched Fuse and Neon

Dimensions

86x86x7mm

Switch	BN	PSS	SSS	MB	PB	SB
Black	BNSWFNB	PSSSWFNB	SSSSWFNB	MBSWFNB	PBSWFNB	SBSWFNB
White	BNSWFNW	PSSSWFNW	SSSSWFNW	MBSWFNW	PBSWFNW	SBSWFNW
Matching Black	BNSWFNB	PSSSWFNPSB	SSSSWFNSSB	MBSWFNMBB	PBSWFNPBB	SBSWFNSBB
Matching White	N/A	PSSSWFNPSW	SSSSWFNSSW	N/A	PBSWFNPBW	SBSWFNSBW

Variations



13 Amp DP Switched Fuse and Flex Outlet

Dimensions

86x86x7mm

Switch	BN	PSS	SSS	MB	PB	SB
Black	BNSWFFOB	PSSSWFFOB	SSSSWFFOB	MBSWFFOB	PBSWFFOB	SBSWFFOB
White	BNSWFFOW	PSSSWFFOW	SSSSWFFOW	MBSWFFOW	PBSWFFOW	SBSWFFOW
Matching Black	BNSWFFOBNB	PSSSWFFOPSB	SSSSWFFOSSB	MBSWFFOMBB	PBSWFFOPBB	SBSWFFOSBB
Matching White	N/A	PSSSWFFOPSW	SSSSWFFOSSW	N/A	PBSWFFOPBW	SBSWFFOSBW

Variations

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS



**45 Amp DP Cooker Switch
Double Plate**

Dimensions

86x146x7mm



Variations

Switch	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN45ASWNB	PSS45ASWNB	SSS45ASWNB	MB45ASWNB	PB45ASWNB	SB45ASWNB
White	BN45ASWNW	PSS45ASWNW	SSS45ASWNW	MB45ASWNW	PB45ASWNW	SB45ASWNW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS



**45 Amp Cooker Switch
Single Plate**

Dimensions

86x86x7mm

Variations

Switch	BN	PSS	SSS	MB	PB	SB
Black	BN45ASWNSB	PSS45ASWNSB	SSS45ASWNSB	MB45ASWNSB	PB45ASWNSB	SB45ASWNSB
White	BN45ASWNSW	PSS45ASWNSW	SSS45ASWNSW	MB45ASWNSW	PB45ASWNSW	SB45ASWNSW



**Fan Isolator Switch
Triple Pole**

Dimensions

86x86x7mm

Variations

Switch	BN	PSS	SSS	MB	PB	SB
Black	BNFSWB	PSSFSWB	SSSFSWB	MBFSWB	PBFSWB	SBFSWB
White	BNFSWW	PSSFSWW	SSSFSWW	MBFSWW	PBFSWW	SBFSWW
Matching	BNFSW	PSSFSW	SSSFSW	MBFSW	PBFSW	SBFSW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS



1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

86x86x7mm



Variations

Watt	 BN	 PSS	 SSS	 MB	 PB	 SB
400W	BN1D400	PSS1D400	SSS1D400	MB1D400	PB1D400	SB1D400
800W	BN1D800	PSS1D800	SSS1D800	MB1D800	PB1D800	SB1D800

2 Gang

**400W
Dimmer Switch**

Dimensions

86x86x7mm



Variations

Watt	 BN	 PSS	 SSS	 MB	 PB	 SB
400W	BN2D400	PSS2D400	SSS2D400	MB2D400	PB2D400	SB2D400

WHEN USING ANY DIMMER TO CONTROL LOW VOLTAGE LIGHTING WE RECOMMEND TESTING THE COMPATIBILITY BEFORE FULL INSTALLATION



3 Gang

**400W
Dimmer Switch**

Dimensions

146x86x7mm

Watt	 BN	 PSS	 SSS	 MB	 PB	 SB
400W	BN3D400	PSS3D400	SSS3D400	MB3D400	PB3D400	SB3D400

Variations



4 Gang

**400W
Dimmer Switch**

Dimensions

146x86x7mm

Watt	 BN	 PSS	 SSS	 MB	 PB	 SB
400W	BN4D400	PSS4D400	SSS4D400	MB4D400	PB4D400	SB4D400

Variations

WHEN USING ANY DIMMER TO CONTROL LOW VOLTAGE LIGHTING WE RECOMMEND TESTING THE COMPATIBILITY BEFORE FULL INSTALLATION



1 Gang

13 Amp DP Switched Socket

Dimensions

86x86x7mm



Variations

Switch	BN	PSS	SSS	MB	PB	SB
Black	BN1SOB	PSS1SOB	SSS1SOB	MB1SOB	PB1SOB	SB1SOB
White	BN1SOW	PSS1SOW	SSS1SOW	MB1SOW	PB1SOW	SB1SOW
Matching Black	BN1SOBNB	PSS1SOPSB	SSS1SOSB	MB1SOMBB	PB1SOPBB	SB1SOSBB
Matching White	N/A	PSS1SOPSW	SSS1SOSSW	N/A	PB1SOPBW	SB1SOSBW

2 Gang

13 Amp DP Switched Socket

Dimensions

146x86x7mm



Variations

Switch	BN	PSS	SSS	MB	PB	SB
Black	BN2SOB	PSS2SOB	SSS2SOB	MB2SOB	PB2SOB	SB2SOB
White	BN2SOW	PSS2SOW	SSS2SOW	MB2SOW	PB2SOW	SB2SOW
Matching Black	BN2SOBNB	PSS2SOPSB	SSS2SOSB	MB2SOMBB	PB2SOPBB	SB2SOSBB
Matching White	N/A	PSS2SOPSW	SSS2SOSSW	N/A	PB2SOPBW	SB2SOSBW

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS



5 Amp Switched Socket

Dimensions

86x86x7mm

Variations

Switch	BN	PSS	SSS	MB	PB	SB
Black	BN5ASOB	PSS5ASOB	SSS5ASOB	MB5ASOB	PB5ASOB	SB5ASOB
White	BN5ASOW	PSS5ASOW	SSS5ASOW	MB5ASOW	PB5ASOW	SB5ASOW



45 Amp DP Switch and Socket

Dimensions

146x86x7mm

Variations

Switch	BN	PSS	SSS	MB	PB	SB
Black	BN45ASWASB	PSS45ASWASB	SSS45ASWASB	MB45ASWASB	PB45ASWASB	SB45ASWASB
White	BN45ASWASW	PSS45ASWASW	SSS45ASWASW	MB45ASWASW	PB45ASWASW	SB45ASWASW
Matching Black	BN45ASWASBNB	PSS45ASWASPSB	SSS45ASWASSSB	MB45ASWASMBB	PB45ASWAS PBB	SB45ASWASBB
Matching White	N/A	PSS45ASWASPSW	SSS45ASWASSSW	N/A	PB45ASWASPBW	SB45ASWASBWB

MATT BLACK FINISH SWITCHES AND SOCKETS USE BLACK NICKEL ROCKERS



Telephone Slave

Dimensions

86x86x7mm



Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNISB	PSSISB	SSSISB	MBISB	PBISB	SBISB
White	BNISW	PSSISW	SSSISW	MBISW	PBISW	SBISW

Telephone Master

Dimensions

86x86x7mm



Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNIMB	PSSIMB	SSSIMB	MBIMB	PBIMB	SBIMB
White	BNIMW	PSSIMW	SSSIMW	MBIMW	PBIMW	SBIMW



1 Gang

TV Outlet

Dimensions

86x86x7mm

Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN1TVB	PSS1TVB	SSS1TVB	MB1TVB	PB1TVB	SB1TVB
White	BN1TVW	PSS1TVW	SSS1TVW	MB1TVW	PB1TVW	SB1TVW



2 Gang

TV Outlet

Dimensions

86x86x7mm

Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BN2TVB	PSS2TVB	SSS2TVB	MB2TVB	PB2TVB	SB2TVB
White	BN2TVW	PSS2TVW	SSS2TVW	MB2TVW	PB2TVW	SB2TVW



Sky + Socket

Dimensions

146x86x7mm



Variations

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNSKY+B	PSSSKY+B	SSSSKY+B	MBSKY+B	PBSKY+B	SBSKY+B
White	BNSKY+W	PSSSKY+W	SSSSKY+W	MBSKY+W	PBSKY+W	SBSKY+W

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

86x146x7mm

Interior	 BN	 PSS	 SSS	 MB	 PB	 SB
Black	BNSHSB	PSSSHSB	SSSSHBSB	MBSHSB	PBSHSB	SBSHSB
White	BNSHSW	PSSSHSW	SSSSHSW	MBSHSW	PBSHSW	SBSHSW

Variations

1 Gang
Blank Plate

Dimensions
86x86x7mm



Variations

 BN	 PSS	 SSS	 MB	 PB	 SB
BN1B	PSS1B	SSS1B	MB1B	PB1B	SB1B

2 Gang
Blank Plate

Dimensions
146x86x7mm



Variations

 BN	 PSS	 SSS	 MB	 PB	 SB
BN2B	PSS2B	SSS2B	MB2B	PB2B	SB2B



EuroLite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT

GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE



13A SOCKET OUTLETS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
13A FUSED CONNECTION UNITS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
10AX PLATE SWITCHES	4 x 1mm ² , 3 x 1.5mm ² , 1 x 2.5mm ²
20A DP SWITCHES	3 x 2.5mm ² , 2 x 4mm ² , 1 x 6mm ² , 1 x 10mm ²



1 Gang

10 Amp 2 Way Switch

Dimensions

86x86x6mm



Variations

Switch	 PC	 SN	 BN
Matching Black	ECPC1SWPCB	ECSN1SWSNB	ECBN1SWBNB
Matching White	ECPC1SWPCW	ECSN1SWSNW	N/A

2 Gang

10 Amp 2 Way Switch

Dimensions

86x86x6mm



Variations

Switch	 PC	 SN	 BN
Matching Black	ECPC2SWPCB	ECSN2SWSNB	ECBN2SWBNB
Matching White	ECPC2SWPCW	ECSN2SWSNW	N/A

10 AMP 2 WAY SWITCH ALSO AVAILABLE IN 6 GANG



EUROLITE LOW PROFILE CONCEALED FIX RANGE



Switch	 PC	 SN	 BN
Matching Black	ECPC3SWPCB	ECSN3SWSNB	ECBN3SWBNB
Matching White	ECPC3SWPCW	ECSN3SWSNW	N/A



Switch	 PC	 SN	 BN
Matching Black	ECPC4SWPCB	ECSN4SWSNB	ECBN4SWBNB
Matching White	ECPC4SWPCW	ECSN4SWSNW	N/A

3 Gang

10 Amp 2 Way Switch

Dimensions

86x86x6mm

Variations

4 Gang

10 Amp 2 Way Switch

Dimensions

86x146x6mm

Variations

10 AMP 2 WAY SWITCH ALSO AVAILABLE IN 6 GANG



20 Amp Intermediate Switch

Dimensions

86x86x6mm



Variations

Switch	PC	SN	BN
Matching Black	ECPCINTPCB	ECSNINTSNB	ECBNINTBNB
Matching White	ECPCINTPCW	ECSNINTSNW	N/A

20 Amp DP Switch

Dimensions

86x86x6mm



Variations

Switch	PC	SN	BN
Matching Black	ECPC20ADPSWPCB	ECSN20ADPSWSNB	ECBN20ADPSWBNB
Matching White	ECPC20ADPSWPCW	ECSN20ADPSWSNW	N/A



EUROLITE LOW PROFILE CONCEALED FIX RANGE



Switch	 PC	 SN	 BN
Matching Black	ECPC20ADPSWNPB	ECSN20ADPSWNSNB	ECBN20ADPSWNBNB
Matching White	ECPC20ADPSWNPW	ECSN20ADPSWNSNW	N/A



Interior	 PC	 SN	 BN
Matching Black	ECPCUSWFPCB	ECSNUSWF5NB	ECBNUSWFBNB
Matching White	ECPCUSWFPCW	ECSNUSWFSNW	N/A

20 Amp DP Switch and Neon

Dimensions

86x86x6mm

Variations

13 Amp Unswitched Fuse Spur

Dimensions

86x86x6mm

Variations



13 Amp DP Switched Fuse Spur

Dimensions

86x86x6mm



Variations

Switch	 PC	 SN	 BN
Matching Black	ECPCSWFPCB	ECSNSWFSNB	ECBNSWFBNB
Matching White	ECPCSWFPCW	ECSNSWFSNW	N/A

13 Amp DP Switched Fuse and Neon

Dimensions

86x86x6mm



Variations

Switch	 PC	 SN	 BN
Matching Black	ECPCSWFNPCB	ECSNSWFNSNB	ECBNSWFNBNB
Matching White	ECPCSWFNPCW	ECSNSWFNSNW	N/A



EUROLITE LOW PROFILE CONCEALED FIX RANGE



Switch	PC	SN	BN
Matching Black	ECPC45ASWNSPCB	ECSN45ASWNSSNB	ECBN45ASWNSBNB
Matching White	ECPC45ASWNSPCW	ECSN45ASWNSSNW	N/A



Switch	PC	SN	BN
Matching Black	ECPCFSWPCB	ECSNFSWSNB	ECBNFSWBNB
Matching White	ECPCFSWPCW	ECSNFSWSNW	N/A

**45 Amp Cooker Switch
Single Plate**

Dimensions

86x86x6mm

Variations

**Fan Isolator Switch
Triple Pole**

Dimensions

86x86x6mm

Variations



1 Gang
400W
Dimmer Switch

Dimensions
86x86x6mm



Variations

400 Watt	 PC	 SN	 BN
Black	ECPC1D400B	ECSN1D400B	ECBN1D400B
White	ECPC1D400WH	ECSN1D400WH	N/A

2 Gang
400W
Dimmer Switch

Dimensions
86x86x6mm



Variations

400 Watt	 PC	 SN	 BN
Black	ECPC2D400B	ECSN2D400B	ECBN2D400B
White	ECPC2D400WH	ECSN2D400WH	N/A



EUROLITE LOW PROFILE CONCEALED FIX RANGE



400 Watt	PC	SN	BN
Black	ECPC3D400B	ECSN3D400B	ECBN3D400B
White	ECPC3D400WH	ECSN3D400WH	N/A



400 Watt	PC	SN	BN
Black	ECPC4D400B	ECSN4D400B	ECBN4D400B
White	ECPC4D400WH	ECSN4D400WH	N/A

3 Gang

400W Dimmer Switch

Dimensions

146x86x6mm

Variations

4 Gang

400W Dimmer Switch

Dimensions

146x86x6mm

Variations

WHEN USING ANY DIMMER TO CONTROL LOW VOLTAGE LIGHTING WE RECOMMEND TESTING THE COMPATIBILITY BEFORE FULL INSTALLATION



1 Gang

13 Amp DP Switched Socket

Dimensions

86x86x6mm



Variations

Switch	PC	SN	BN
Matching Black	ECPC1SOPCB	ECSN1SOSNB	ECBN1SOBN
Matching White	ECPC1SOPCW	ECSN1SOSNW	N/A

2 Gang

13 Amp DP Switched Socket

Dimensions

86x86x6mm



Variations

Switch	PC	SN	BN
Matching Black	ECPC2SOPCB	ECSN2SOSNB	ECBN2SOBN
Matching White	ECPC2SOPCW	ECSN2SOSNW	N/A



EUROLITE LOW PROFILE CONCEALED FIX RANGE



45 Amp DP Switch and Socket

Dimensions

86x86x6mm

Variations

Switch	PC	SN	BN
Matching Black	ECPC45ASWASPCB	ECSN45ASWASSNB	ECBN45ASWASBNB
Matching White	ECPC45ASWASPCW	ECSN45ASWASSNW	N/A

- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- UPTO 24 GANG GRIDS MADE TO ORDER
- COMPETITIVE PRICING



Telephone Slave

Dimensions

86x86x6mm



Variations

Interior	PC	SN	BN
Black	ECPC1SB	ECSN1SB	ECBN1SB
White	ECPC1SW	ECSN1SW	N/A

Telephone Master

Dimensions

86x86x6mm



Variations

Interior	PC	SN	BN
Black	ECPC1MB	ECSN1MB	ECBN1MB
White	ECPC1MW	ECSN1MW	N/A



EUROLITE LOW PROFILE CONCEALED FIX RANGE



Interior	PC	SN	BN
Black	ECPCITVB	ECSNITVB	ECBNITVB
White	ECPCITVW	ECSNITVW	N/A



Interior	PC	SN	BN
Black	ECPC2TVB	ECSN2TVB	ECBN2TVB
White	ECPC2TWW	ECSN2TWW	N/A

1 Gang

TV Outlet

Dimensions

86x86x6mm

Variations

2 Gang

TV Outlet

Dimensions

86x86x6mm

Variations



Shaver Socket

Dimensions

86x146x6mm



Variations


Interior	 PC	 SN	 BN
Black	ECPCSHSB	ECSNSHSB	ECBNSHSB
White	ECPCSHSW	ECSNSHSW	N/A



EUROLITE LOW PROFILE CONCEALED FIX RANGE



Interior	 PC	 SN	 BN
Black	ECPC1BB	ECSN1BB	ECBN1BB
White	ECPC1BW	ECSN1BW	N/A



Interior	 PC	 SN	 BN
Black	ECPC2BB	ECSN2BB	ECBN2BB
White	ECPC2BW	ECSN2BW	N/A

1 Gang

Blank Plate

Dimensions

86x86x6mm

Variations

2 Gang

Blank Plate

Dimensions

146x86x6mm

Variations



1 Gang

10 Amp 2 Way Switch

Dimensions

88x88x3mm



Variations


Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN1SW	CPC1SW	CPB1SW	CSC1SW

2 Gang

10 Amp 2 Way Switch

Dimensions

88x88x3mm



Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN2SW	CPC2SW	CPB2SW	CSC2SW



CONCEALED FIX FLAT PLATE RANGE



Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN3SW	CPC3SW	CPB3SW	CSC3SW

3 Gang

10 Amp 2 Way Switch

Dimensions

88x88x3mm

Variations

CONTACT US FOR DETAILS ON AVAILABLE

GRID OR MODULE OPTIONS

TEL: 01772 672020

EMAIL: SALES@EUROLITE.CO.UK

WEB: WWW.EUROLITE.CO.UK



20 Amp DP Intermediate Switch

Dimensions

88x88x3mm




Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBNINT	CPCINT	CPBINT	CSCINT

20 Amp DP Switch

Dimensions

88x88x3mm



Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN20ASW	CPC20ASW	CPB20ASW	CSC20ASW



CONCEALED FIX FLAT PLATE RANGE



Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN20ASWN	CPC20ASWN	CPB20ASWN	CSC20ASWN

20 Amp DP Switch and Neon

Dimensions

88x88x3mm

Variations


- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- COMPETITIVE PRICING



13 Amp DP Switched Fuse Spur

Dimensions

88x88x3mm



Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching Black	CBNSWFBNB	CPCSWFPCB	CPBSWFPBB	CSCSWFSCB
Matching White	N/A	CPCSWFPCW	CPBSWFPBW	CSCSWFSCW

13 Amp DP Switched Fuse and Neon

Dimensions

88x88x3mm



Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching Black	CBNSWFBNB	CPCSWFNPCB	CPBSWFNPBB	CSCSWFNSCB
Matching White	N/A	CPCSWFNPCW	CPBSWFNPBW	CSCSWFNSCW



**45 Amp DP Cooker Switch
Single Plate**

Dimensions

88x88x3mm

Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBN45ASWNS	CPC45ASWNS	CPB45ASWNS	CSC45ASWNS



**Fan Isolator Switch
Triple Pole**

Dimensions

88x88x3mm

Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching	CBNFSW	CPCFSW	CPBFSW	CSCFSW



1 Gang

**250W and 400W
Dimmer Switch**

Dimensions

88x88x3mm



Variations

Watt	 CBN	 CPC	 CPB	 CSC
250W	CBN1D250	CPC1D250	CPB1D250	CSC1D250
400W	CBN1D400	CPC1D400	CPB1D400	CSC1D400

2 Gang

**250W and 400W
Dimmer Switch**

Dimensions

88x88x3mm




Variations


Watt	 CBN	 CPC	 CPB	 CSC
250W	CBN2D250	CPC2D250	CPB2D250	CSC2D250
400W	CBN2D400	CPC2D400	CPB2D400	CSC2D400



CONCEALED FIX FLAT PLATE RANGE



Switch	 CBN	 CPC	 CPB	 CSC
Matching Black	CBN1SOB	CPC1SOB	CPB1SOB	CSC1SOB
Matching White	N/A	CPC1SOW	CPB1SOW	CSC1SOW



Switch	 CBN	 CPC	 CPB	 CSC
Matching Black	CBN2SOB	CPC2SOB	CPB2SOB	CSC2SOB
Matching White	N/A	CPC2SOW	CPB2SOW	CSC2SOW

1 Gang

13 Amp DP Switched Socket

Dimensions

88x88x3mm

Variations

2 Gang

13 Amp DP Switched Socket

Dimensions

148x88x3mm

Variations



5 Amp Unswitched Socket

Dimensions

88x88x3mm




Variations

Interior	 CBN	 CPC	 CPB	 CSC
Black	CBN5AUSOB	CPC5AUSOB	CPB5AUSOB	CSC5AUSOB
White	N/A	CPC5AUSOW	CPB5AUSOW	CSC5AUSOW

45 Amp DP Switch and Socket

Dimensions

148x88x3mm



Variations

Switch	 CBN	 CPC	 CPB	 CSC
Matching Black	CBN45ASWASB	CPC45ASWASB	CPB45ASWASB	CSC45ASWASB
Matching White	N/A	CPC45ASWASW	CPB45ASWASW	CSC45ASWASW



CONCEALED FIX FLAT PLATE RANGE



Telephone Slave

Dimensions

88x88x3mm

Interior	 CBN	 CPC	 CPB	 CSC
Black	CBN1SB	CPC1SB	CPB1SB	CSC1SB
White	N/A	CPC1SW	CPB1SW	CSC1SW

Variations



Telephone Master

Dimensions

88x88x3mm

Interior	 CBN	 CPC	 CPB	 CSC
Black	CBN1MB	CPC1MB	CPB1MB	CSC1MB
White	N/A	CPC1MW	CPB1MW	CSC1MW

Variations




I Gang

TV Outlet

Dimensions

88x88x3mm



Variations

Interior	 CBN	 CPC	 CPB	 CSC
Black	CBNITVB	CPCITVB	CPBITVB	CSCITVB
White	N/A	CPCITVW	CPBITVW	CSCITVW

Sky + Socket

Dimensions

148x88x3mm



Variations

Interior	 CBN	 CPC	 CPB	 CSC
Black	CBNSKY+B	CPCSKY+B	CPBSKY+B	CSCSKY+B
White	N/A	CPCSKY+W	CPBSKY+W	CSCSKY+W



Shaver Socket

Dimensions

88x148x3mm

Interior	 CBN	 CPC	 CPB	 CSC
Black	CBNSHSB	CPCSHSB	CPBSHSB	CSCSHSB
White	N/A	CPCSHSW	CPBSHSW	CSCSHSW

Variations




1 Gang

Blank Plate

Dimensions

88x88x3mm



Variations


 CBN	 CPC	 CPB	 CSC
CBN1B	CPC1B	CPB1B	CSC1B

2 Gang

Blank Plate

Dimensions

148x88x3mm



Variations

 CBN	 CPC	 CPB	 CSC
CBN2B	CPC2B	CPB2B	CSC2B



CONCEALED FIX FLAT PLATE RANGE

Eurolite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT

GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE



13A SOCKET OUTLETS	$3 \times 2.5\text{mm}^2$, $2 \times 4\text{mm}^2$, $2 \times 6\text{mm}^2$
13A FUSED CONNECTION UNITS	$3 \times 2.5\text{mm}^2$, $2 \times 4\text{mm}^2$, $2 \times 6\text{mm}^2$
10AX PLATE SWITCHES	$4 \times 1\text{mm}^2$, $3 \times 1.5\text{mm}^2$, $1 \times 2.5\text{mm}^2$
20A DP SWITCHES	$3 \times 2.5\text{mm}^2$, $2 \times 4\text{mm}^2$, $1 \times 6\text{mm}^2$, $1 \times 10\text{mm}^2$



1 Gang

10 Amp 2 Way Switch

Dimensions

88x88x2mm



Variations

Switch	 XFPB	 XFSS	 XFSSS
Matching Black	XFPB1SWPBB	XFSS1SWPSB	XFSSS1SWSSB
Matching White	XFPB1SWPBW	XFSS1SWPSW	XFSSS1SWSSW

2 Gang

10 Amp 2 Way Switch

Dimensions

88x88x2mm



Variations

Switch	 XFPB	 XFSS	 XFSSS
Matching Black	XFPB2SWPBB	XFSS2SWPSB	XFSSS2WSSB
Matching White	XFPB2SWPBW	XFSS2SWPSW	XFSSS2WSSW



3 Gang

10 Amp 2 Way Switch

Dimensions

88x88x2mm

Variations

Switch	 XFPB	 XFPSS	 XFSSS
Matching Black	XFPB3SWPBB	XFPSS3SWPSB	XFSSS3SWSSB
Matching White	XFPB3SWPBW	XFPSS3SWPSW	XFSSS3SWSSW

- WE RECOMMEND FOR ALL FLAT PLATE INSTALLATIONS THAT WHATEVER THE DEPTH OR STYLE OF THE BACK BOX BEING USED THAT THE BACK BOX SHOULD BE RECESSED TO A MINIMUM OF 4MM BELOW THE WALL SURFACE.
- THE VOLEX CONTRACT FLAT PLATE IS COMPATIBLE WITH DRY LINING BOXES.



20 Amp Intermediate Switch

Dimensions

88x88x2mm



Variations

Switch	 XFPB	 XFPSS	 XFSSS
Black	XFPBINTB	XFPSSINTB	XFSSSINTB
White	XFPBINTW	XFPSSINTW	XFSSSINTW

20 Amp DP Switch and Neon

Dimensions

88x88x2mm



Variations

Switch	 XFPB	 XFPSS	 XFSSS
Black	XFPB20ASWNB	XFPSS20ASWNB	XFSSS20ASWNB
White	XFPB20ASWNW	XFPSS20ASWNW	XFSSS20ASWNW



**45 Amp DP Cooker Switch
Double Plate**

Dimensions

88x148x2mm

Switch	 XFPB	 XFSS	 XFSS
Black	XFPB45ASWNB	XFSS45ASWNB	XFSS45ASWNB
White	XFPB45ASWNW	XFSS45ASWNW	XFSS45ASWNW

Variations



**45 Amp DP Cooker Switch
Single Plate**

Dimensions

88x88x2mm



Variations

Switch	 XFPB	 XFPSS	 XFSSS
Black	XFPB45ASSWNB	XFPSS45ASSWNB	XFSSS45ASSWNB
White	XFPB45ASSWNW	XFPSS45ASSWNW	XFSSS45ASSWNW

Fan Isolator Switch

Dimensions

88x88x2mm



Variations

Switch	 XFPB	 XFPSS	 XFSSS
Black	XFPBFSWB	XFPSSFSWB	XFSSSFSWB
White	XFPBFSWW	XFPSSFSWW	XFSSSFSWW



13 Amp DP Switched Fuse Spur

Dimensions

88x88x2mm

Variations

Switch	 XFPB	 XFPSS	 XFSSS
Matching Black	XFPBSWFPBB	XFPSSSWFPSB	XFSSSSWFSSB
Matching White	XFPBSWFPBW	XFPSSSWFPSW	XFSSSSWFSSW

- NEXT DAY DELIVERY

- £100 CARRIAGE PAID

- COMPETITIVE PRICING



1 Gang

13 Amp DP Switched Socket

Dimensions

88x88x2mm



Variations


Switch	 XFPB	 XFPSS	 XFSSS
Matching Black	XFPB1SOPBB	XFPSS1SOPSB	XFSSS1SOSSB
Matching White	XFPB1SOPBW	XFPSS1SOPSW	XFSSS1SOSSW

2 Gang

13 Amp DP Switched Socket

Dimensions

148x88x2mm



Variations

Switch	 XFPB	 XFPSS	 XFSSS
Matching Black	XFPB2SOPBB	XFPSS2SOPSB	XFSSS2SOSSB
Matching White	XFPB2SOPBW	XFPSS2SOPSW	XFSSS2SOSSW



Switch	XFPB	XFPSS	XFSSS
Black	N/A	XFPSS5ASOB	XFSSS5ASOB
White	N/A	XFPSS5ASOW	XFSSS5ASOW

5 Amp Switched Socket

Dimensions

88x88x2mm

Variations



Switch	XFPB	XFPSS	XFSSS
Black	XFPB45ASWASB	XFPSS45ASWASB	XFSSS45ASWASB
White	XFPB45ASWASW	XFPSS45ASWASW	XFSSS45ASWASW

45 Amp DP Switch and Socket

Dimensions

148x88x2mm

Variations



Shaver Socket

Dimensions

88x148x2mm



Variations

Interior	 XFPB	 XFPSS	 XFSSS
Black	XFPBSSH-B	XFPSSSH-B	XFSSSSH-B
White	XFPBSSH-W	XFPSSSH-W	XFSSSSH-W



Interior	 XFPB	 XFPSS	 XFSSS
Black	XFPB1SB	XFPSS1SB	XFSSS1SB
White	XFPB1SW	XFPSS1SW	XFSSS1SW



Interior	 XFPB	 XFPSS	 XFSSS
Black	XFPB1MB	XFPSS1MB	XFSSS1MB
White	XFPB1MW	XFPSS1MW	XFSSS1MW

Telephone Slave

Dimensions

88x88x2mm

Variations

Telephone Master

Dimensions

88x88x2mm

Variations



I Gang

TV Outlet

Dimensions

88x88x2mm



Variations

Interior	 XFPB	 XPSS	 XFSS
Black	XFPBITVB	XPSSITVB	XFSSITVB
White	XFPBITVW	XPSSITVW	XFSSITVW

- WE RECOMMEND FOR ALL FLAT PLATE INSTALLATIONS THAT WHATEVER THE DEPTH OR STYLE OF THE BACK BOX BEING USED THAT THE BACK BOX SHOULD BE RECESSED TO A MINIMUM OF 4MM BELOW THE WALL SURFACE.
- THE VOLEX CONTRACT FLAT PLATE IS COMPATIBLE WITH DRY LINING BOXES.



		
XFPB	XFPSS	XFSSS
XFPB1B	XFPSS1B	XFSSS1B



		
XFPB	XFPSS	XFSSS
XFPB2B	XFPSS2B	XFSSS2B

1 Gang

Blank Plate

Dimensions

88x88x2mm

Variations

2 Gang

Blank Plate

Dimensions

148x88x2mm

Variations



1 Gang

10 Amp 2 Way Switch

Dimensions

86x86x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSS1SWB	FSSS1SWB
White	FPSS1SWW	FSSS1SWW
Matching	FPSS1SW	FSSS1SW

2 Gang

10 Amp 2 Way Switch


Dimensions

86x86x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSS2SVB	FSSS2SVB
White	FPSS2SWW	FSSS2SWW
Matching	FPSS2SW	FSSS2SW



Switch	 FPSS	 FSSS
Black	FPSS3SWB	FSSS3SWB
White	FPSS3SWW	FSSS3SWW
Matching	FPSS3SW	FSSS3SW



Switch	 FPSS	 FSSS
Black	FPSS4SWB	FSSS4SWB
White	FPSS4SWW	FSSS4SWW
Matching	FPSS4SW	FSSS4SW

3 Gang

10 Amp 2 Way Switch

Dimensions

86x86x2mm

Variations

4 Gang

10 Amp 2 Way Switch

Dimensions

146x86x2mm

Variations



20 Amp Intermediate Switch

Dimensions

86x86x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSSINTB	FSSSINTB
White	FPSSINTW	FSSSINTW
Matching	FPSSINT	FSSSINT

20 Amp DP Switch

Dimensions

86x86x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSS20ASWB	FSSS20ASWB
White	FPSS20ASWW	FSSS20ASWW
Matching	FPSS20ASW	FSSS20ASW



20 Amp DP Switch and Neon

Dimensions

86x86x2mm

Variations

Switch	 FPSS	 FSSS
Black	FPSS20ASWNB	FSSS20ASWNB
White	FPSS20ASWNW	FSSS20ASWNW
Matching	FPSS20ASWN	FSSS20ASWN

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- UP TO 8 GANG GRIDS MADE TO ORDER
- COMPETITIVE PRICING



13 Amp Unswitched Fuse Spur

Dimensions

86x86x2mm



Variations

Interior	 FPSS	 FSSS
Black	FPSSUSWFB	FSSSUSWFB
White	FPSSUSWFW	FSSSUSWFW

13 Amp DP Switched Fuse Spur

Dimensions

86x86x2mm



Variations

Switch	 FPSS	 FSSS
Black	FPSSSWFB	FSSSSWFB
White	FPSSSWFW	FSSSSWFW
Matching Black	FPSSSWFPSB	FSSSSWFPSB
Matching White	FPSSSWFPSW	FSSSSWFPSW



Switch	 FPSS	 FSSS
Black	FPSSSWFNFB	FSSSSWFNFB
White	FPSSSWFNFW	FSSSSWFNFW
Matching Black	FPSSSWFNPSB	FSSSSWFNSSB
Matching White	FPSSSWFNPSW	FSSSSWFNSSW



Switch	 FPSS	 FSSS
Black	FPSSSWFFOB	FSSSSWFFOB
White	FPSSSWFFOW	FSSSSWFFOW
Matching Black	FPSSSWFFOPSB	FSSSSWFFOSSB
Matching White	FPSSSWFFOPSW	FSSSSWFFOSSW

13 Amp DP Switched Fuse and Neon

Dimensions

86x86x2mm

Variations

13 Amp DP Switched Fuse and Flex Outlet

Dimensions

86x86x2mm

Variations

**45 Amp DP Cooker Switch
Double Plate**

Dimensions

86x146x2mm



Variations

Switch	FPSS	FSSS
Black	FPSS45ASWNB	FSSS45ASWNB
White	FPSS45ASWNW	FSSS45ASWNW



Switch	 FPSS	 FSSS
Black	FPSS45ASWNSB	FSSS45ASWNSB
White	FPSS45ASWNSW	FSSS45ASWNSW

**45 Amp Cooker Switch
Single Plate**

Dimensions

86x86x2mm

Variations



Switch	 FPSS	 FSSS
Black	FPSSFSWB	FSSSFSWB
White	FPSSFSWW	FSSSFSWW
Matching	FPSSFSW	FSSSFSW

**Fan Isolator Switch
Triple Pole**

Dimensions

86x86x2mm

Variations



1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

86x86x2mm



Variations

Watt	FPSS	FSSS
400W	FPSS1D400	FSSS1D400
800W	FPSS1D800	FSSS1D800

2 Gang

**400W
Dimmer Switch**


Dimensions

86x86x2mm



Variations

Watt	FPSS	FSSS
400W	FPSS2D400	FSSS2D400



Watt	 FPSS	 FSSS
400W	FPSS3D400	FSSS3D400

3 Gang

**400W
Dimmer Switch**

Dimensions

146x86x2mm

Variations



Watt	 FPSS	 FSSS
400W	FPSS4D400	FSSS4D400

4 Gang

**400W
Dimmer Switch**

Dimensions

146x86x2mm

Variations



1 Gang

13 Amp DP Switched Socket

Dimensions

86x86x2mm



Variations


Switch	FPSS	FSSS
Black	FPSS1SOB	FSSS1SOB
White	FPSS1SOW	FSSS1SOW
Matching Black	FPSS1SOPSB	FSSS1SOSSB
Matching White	FPSS1SOPSW	FSSS1SOSSW

2 Gang

13 Amp DP Switched Socket


Dimensions

146x86x2mm



Variations

Switch	FPSS	FSSS
Black	FPSS2SOB	FSSS2SOB
White	FPSS2SOW	FSSS2SOW
Matching Black	FPSS2SOPSB	FSSS2SOSSB
Matching White	FPSS2SOPSW	FSSS2SOSSW




Switch	FPSS	FSSS
Black	FPSS5ASOB	FSSS5ASOB
White	FPSS5ASOW	FSSS5ASOW

5 Amp Switched Socket

Dimensions

86x86x2mm

Variations



Switch	FPSS	FSSS
Black	FPSS45ASWASB	FSSS45ASWASW
White	FPSS45ASWASW	FSSS45ASWASW
Matching Black	FPSS45ASWASPSB	FSSS45ASWASSW
Matching White	FPSS45ASWASPSW	FSSS45ASWASSW

45 Amp DP Switch and Socket

Dimensions

146x86x2mm

Variations

Telephone Slave

Dimensions

86x86x2mm



Variations

Interior	 FPSS	 FSSS
Black	FPSS1SB	FSSS1SB
White	FPSS1SW	FSSS1SW

Telephone Master

Dimensions

86x86x2mm



Variations

Interior	 FPSS	 FSSS
Black	FPSS1MB	FSSS1MB
White	FPSS1MW	FSSS1MW



Interior	 FPSS	 FSSS
Black	FPSS1TVB	FSSS1TVB
White	FPSS1TVW	FSSS1TVW



Interior	 FPSS	 FSSS
Black	FPSS2TVB	FSSS2TVB
White	FPSS2TVW	FSSS2TVW

1 Gang

TV Outlet

Dimensions

86x86x2mm

Variations

2 Gang

TV Outlet

Dimensions

86x86x2mm

Variations



Sky + Socket

Dimensions

146x86x2mm

Variations



Interior	 FPSS	 FSSS
Black	FPSSSKY+B	FSSSSKY+B
White	FPSSSKY+W	FSSSSKY+W

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

86x146x2mm

Interior	 FPSS	 FSSS
Black	FPSSSHSB	FSSSSHBSB
White	FPSSSHSW	FSSSSHSW

Variations



1 Gang

Blank Plate

Dimensions

86x86x2mm



Variations


 FPSS	 FSSS
FPSS1B	FSSS1B

2 Gang

Blank Plate

Dimensions

146x86x2mm



Variations

 FPSS	 FSSS
FPSS2B	FSSS2B



EuroLite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT

GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE



13A SOCKET OUTLETS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
13A FUSED CONNECTION UNITS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
10AX PLATE SWITCHES	4 x 1mm ² , 3 x 1.5mm ² , 1 x 2.5mm ²
20A DP SWITCHES	3 x 2.5mm ² , 2 x 4mm ² , 1 x 6mm ² , 1 x 10mm ²

1 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC1SWB	SPB1SWB	SSC1SWB
White	SPC1SWW	SPB1SWW	SSC1SWW
Matching	SPC1SW	SPB1SW	SSC1SW

2 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC2SWB	SPB2SWB	SSC2SWB
White	SPC2SWW	SPB2SWW	SSC2SWW
Matching	SPC2SW	SPB2SW	SSC2SW



Switch	SPC	SPB	SSC
Black	SPC3SWB	SPB3SWB	SSC3SWB
White	SPC3SWW	SPB3SWW	SSC3SWW
Matching	SPC3SW	SPB3SW	SSC3SW

3 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm

Variations



Switch	SPC	SPB	SSC
Black	SPC4SWB	SPB4SWB	SSC4SWB
White	SPC4SWW	SPB4SWW	SSC4SWW
Matching	SPC4SW	SPB4SW	SSC4SW

4 Gang

10 Amp 2 Way Switch

Dimensions

150x95x10mm

Variations



20 Amp Intermediate Switch

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPCINTB	SPBINTB	SSCINTB
White	SPCINTW	SPBINTW	SSCINTW
Matching	SPCINT	SPBINT	SSCINT

20 Amp DP Switch

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC20ASWB	SPB20ASWB	SSC20ASWB
White	SPC20ASWW	SPB20ASWW	SSC20ASWW
Matching	SPC20ASW	SPB20ASW	SSC20ASW



20 Amp DP Switch and Neon

Dimensions

95x95x10mm

Variations

Switch	 SPC	 SPB	 SSC
Black	SPC20ASWNB	SPB20ASWNB	SSC20ASWNB
White	SPC20ASWNW	SPB20ASWNW	SSC20ASWNW
Matching	SPC20ASWN	SPB20ASWN	SSC20ASWN

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- COMPETITIVE PRICING



13 Amp Unswitched Fuse Spur

Dimensions

95x95x10mm



Variations

Interior	 SPC	 SPB	 SSC
Black	SPCUSWFB	SPBUSWFB	SSCUSWFB
White	SPCUSFW	SPBUSFW	SSCUSFW

13 Amp DP Switched Fuse Spur

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPCSWFB	SPBSWFB	SSCSWFB
White	SPCSFW	SPBSFW	SSCSFW
Matching Black	SPCSWFPCB	SPBSWFPCB	SSCSWFSCB
Matching White	SPCSWFPCW	SPBSWFPCW	SSCSWFSCW



13 Amp DP Switched Fuse and Neon

Dimensions

95x95x10mm

Variations

Switch	SPC	SPB	SSC
Black	SPCSWFNB	SPBSWFNB	SSCSWFNB
White	SPCSWFNW	SPBSWFNW	SSCSWFNW
Matching Black	SPCSWFNPB	SPBSWFNPBB	SSCSWFNSCB
Matching White	SPCSWFNPCW	SPBSWFNPBW	SSCSWFNSCW



13 Amp DP Switched Fuse and Flex Outlet

Dimensions

95x95x10mm

Variations

Switch	SPC	SPB	SSC
Black	SPCSWFFOB	SPBSWFFOB	SSCSWFFOB
White	SPCSWFFOW	SPBSWFFOW	SSCSWFFOW
Matching Black	SPCSWFFOPB	SPBSWFFOPBB	SSCSWFFOSCB
Matching White	SPCSWFFOPCW	SPBSWFFOPBB	SSCSWFFOSCW

**45 Amp DP Cooker Switch
Double Plate**

Dimensions

95x150x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC45ASWNB	SPB45ASWNB	SSC45ASWNB
White	SPC45ASWNW	SPB45ASWNW	SSC45ASWNW



**45 Amp Cooker Switch
Single Plate**

Dimensions

95x95x10mm

Variations

Switch	SPC	SPB	SSC
Black	SPC45ASWNSB	SPB45ASWNSB	SSC45ASWNSB
White	SPC45ASWNSW	SPB45ASWNSW	SSC45ASWNSW



**Fan Isolator Switch
Triple Pole**

Dimensions

95x95x10mm

Variations

Switch	SPC	SPB	SSC
Black	SPCFSWB	SPBFSWB	SSCFSWB
White	SPCFSWW	SPBFSWW	SSCFSWW
Matching	SPCFSW	SPBFSW	SSCFSW



1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt	 SPC	 SPB	 SSC
400W	SPC1D400	SPB1D400	SSC1D400
800W	SPC1D800	SPB1D800	SSC1D800

2 Gang

**400W
Dimmer Switch**

Dimensions


95x95x10mm



Variations

Watt	 SPC	 SPB	 SSC
400W	SPC2D400	SPB2D400	SSC2D400

WHEN USING ANY DIMMER TO CONTROL LOW VOLTAGE LIGHTING WE RECOMMEND TESTING THE COMPATIBILITY BEFORE FULL INSTALLATION



Watt	SPC	SPB	SSC
400W	SPC3D400	SPB3D400	SSC3D400



Watt	SPC	SPB	SSC
400W	SPC4D400	SPB4D400	SSC4D400

3 Gang

**400W
Dimmer Switch**

Dimensions

150x95x10mm

Variations

4 Gang

**400W
Dimmer Switch**

Dimensions

150x95x10mm

Variations

1 Gang

13 Amp DP Switched Socket

Dimensions

95x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC1SOB	SPB1SOB	SSC1SOB
White	SPC1SOW	SPB1SOW	SSC1SOW
Matching Black	SPC1SOPCB	SPB1SOPBB	SSC1SOSCB
Matching White	SPC1SOPCW	SPB1SOPBW	SSC1SOSCW

2 Gang

13 Amp DP Switched Socket

Dimensions

150x95x10mm



Variations

Switch	 SPC	 SPB	 SSC
Black	SPC2SOB	SPB2SOB	SSC2SOB
White	SPC2SOW	SPB2SOW	SSC2SOW
Matching Black	SPC2SOPCB	SPB2SOPBB	SSC2SOSCB
Matching White	SPC2SOPCW	SPB2SOPBW	SSC2SOSCW




5 Amp Switched Socket

Dimensions

95x95x10mm

Variations

Switch	 SPC	 SPB	 SSC
Black	SPC5ASOB	SPB5ASOB	SSC5ASOB
White	SPC5ASOW	SPB5ASOW	SSC5ASOW



45 Amp DP Switch and Socket

Dimensions

150x95x10mm

Variations

Switch	 SPC	 SPB	 SSC
Black	SPC45ASWASB	SPB45ASWASB	SSC45ASWASB
White	SPC45ASWASW	SPB45ASWASW	SSC45ASWASW
Matching Black	SPC45ASWASPCB	SPB45ASWASPBB	SSC45ASWASSCB
Matching White	SPC45ASWASPCW	SPB45ASWASPBW	SSC45ASWASSCW

Telephone Slave

Dimensions

95x95x10mm



Variations

Interior	 SPC	 SPB	 SSC
Black	SPCISB	SPBISB	SSCISB
White	SPCISW	SPBISW	SSCISW

Telephone Master

Dimensions

95x95x10mm



Variations

Interior	 SPC	 SPB	 SSC
Black	SPCIMB	SPBIMB	SSCIMB
White	SPCIMW	SPBIMW	SSCIMW



Interior	 SPC	 SPB	 SSC
Black	SPC1TVB	SPB1TVB	SSC1TVB
White	SPC1TVW	SPB1TVW	SSC1TVW



Interior	 SPC	 SPB	 SSC
Black	SPC2TVB	SPB2TVB	SSC2TVB
White	SPC2TVW	SPB2TVW	SSC2TVW

1 Gang

TV Outlet

Dimensions

95x95x10mm

Variations

2 Gang

TV Outlet

Dimensions

95x95x10mm

Variations



Sky + Socket

Dimensions

150x95x10mm



Variations

Interior	 SPC	 SPB	 SSC
Black	SPCSKY+B	SPBSKY+B	SSCSKY+B
White	SPCSKY+W	SPBSKY+W	SSCSKY+W

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

95x150x10mm

Interior	 SPC	 SPB	 SSC
Black	SPCShSB	SPBShSB	SSCShSB
White	SPCShSW	SPBShSW	SSCShSW

Variations

1 Gang

Blank Plate

Dimensions

95x95x10mm



Variations

 SPC	 SPB	 SSC
SPC1B	SPB1B	SSC1B

2 Gang

Blank Plate

Dimensions

150x95x10mm



Variations

 SPC	 SPB	 SSC
SPC2B	SPB2B	SSC2B



Eurolite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT

GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE



13A SOCKET OUTLETS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
13A FUSED CONNECTION UNITS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
10AX PLATE SWITCHES	4 x 1mm ² , 3 x 1.5mm ² , 1 x 2.5mm ²
20A DP SWITCHES	3 x 2.5mm ² , 2 x 4mm ² , 1 x 6mm ² , 1 x 10mm ²

1 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm



Variations


Switch	 C	 SC	 V
Black	CISWB	SCISWB	VISWB
White	CISWW	SCISWW	VISWW
Matching	CISW	SCISW	VISW

2 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm




Variations

Switch	 C	 SC	 V
Black	C2SWB	SC2SWB	V2SWB
White	C2SWW	SC2SWW	V2SWW
Matching	C2SW	SC2SW	V2SW



Switch	 C	 SC	 V
Black	C3SWB	SC3SWB	V3SWB
White	C3SWW	SC3SWW	V3SWW
Matching	C3SW	SC3SW	V3SW



Switch	 C	 SC	 V
Black	C4SWB	SC4SWB	V4SWB
White	C4SWW	SC4SWW	V4SWW
Matching	C4SW	SC4SW	V4SW

3 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm

Variations

4 Gang

10 Amp 2 Way Switch

Dimensions

150x95x10mm

Variations

20 Amp Intermediate Switch

Dimensions

95x95x10mm



Variations

Switch	 C	 SC	 V
Black	CINTB	SCINTB	VINTB
White	CINTW	SCINTW	VINTW
Matching	CINT	SCINT	VINT

20 Amp DP Switch

Dimensions

95x95x10mm



Variations

Switch	 C	 SC	 V
Black	C20ASWB	SC20ASWB	V20ASWB
White	C20ASWW	SC20ASWW	V20ASWW
Matching	C20ASW	SC20ASW	V20ASW



20 Amp DP Switch and Neon

Dimensions

95x95x10mm

Variations

Switch	 C	 SC	 V
Black	C20ASWNB	SC20ASWNB	V20ASWNB
White	C20ASWNW	SC20ASWNW	V20ASWNW
Matching	C20ASWN	SC20ASWN	V20ASWN

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- COMPETITIVE PRICING



13 Amp Unswitched Fuse Spur

Dimensions

95x95x10mm



Variations

Interior	 C	 SC	 V
Black	CUSWFB	SCUSWFB	VUSWFB
White	CUSFW	SCUSFW	VUSFW

13 Amp DP Switched Fuse Spur

Dimensions

95x95x10mm



Variations

Switch	 C	 SC	 V
Black	CSWFB	SCSWFB	VSWFB
White	CSFW	SCSW	VSW
Matching Black	CSWFPCB	SCSWFSCB	VSWFPBB
Matching White	CSWFPCW	SCSWFSCW	VSWFPBW



13 Amp DP Switched Fuse and Neon

Dimensions

95x95x10mm

Variations

Switch	 C	 SC	 V
Black	CSWFNB	SCSWFNB	VSWFNB
White	CSWFNW	SCSWFNW	VSWFNW
Matching Black	CSWFNPCB	SCSWFNPCB	VSWFNPCB
Matching White	CSWFNPCW	SCSWFNPCW	VSWFNPCW



13 Amp DP Switched Fuse and Flex Outlet

Dimensions

95x95x10mm

Variations

Switch	 C	 SC	 V
Black	CSWFFOB	SCSWFFOB	VSWFFOB
White	CSWFFOW	SCSWFFOW	VSWFFOW
Matching Black	CSWFFOPCB	SCSWFFOPCB	VSWFFOPCB
Matching White	CSWFFOPCW	SCSWFFOPCW	VSWFFOPCW

**45 Amp DP Cooker Switch
Double Plate**

Dimensions

95x150x10mm



Variations

Switch	C	SC	V
Black	C45ASWNB	SC45ASWNB	V45ASWNB
White	C45ASWNW	SC45ASWNW	V45ASWNW



**45 Amp Cooker Switch
Single Plate**

Dimensions

95x95x10mm

Variations

Switch	 C	 SC	 V
Black	C45ASWNSB	SC45ASWNSB	V45ASWNSB
White	C45ASWNSW	SC45ASWNSW	V45ASWNSW



**Fan Isolator Switch
Triple Pole**

Dimensions

95x95x10mm

Variations

Switch	 C	 SC	 V
Black	CFSWB	SCFSWB	VFSWB
White	CFSWW	SCFSWW	VFSWW
Matching	CFSW	SCFSW	VFSW

1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt	 C	 SC	 V
400W	CID400	SCID400	VID400
800W	CID800	SCID800	VID800

2 Gang

**400W
Dimmer Switch**

Dimensions


95x95x10mm




Variations

Watt	 C	 SC	 V
400W	C2D400	SC2D400	V2D400

WHEN USING ANY DIMMER TO CONTROL LOW VOLTAGE LIGHTING WE RECOMMEND TESTING THE COMPATIBILITY BEFORE FULL INSTALLATION



Watt	C	SC	V
400W	C3D400	SC3D400	V3D400



Watt	C	SC	V
400W	C4D400	SC4D400	V4D400

3 Gang

**400W
Dimmer Switch**

Dimensions

150x95x10mm

Variations

4 Gang

**400W
Dimmer Switch**

Dimensions

150x95x10mm

Variations

1 Gang

13 Amp DP Switched Socket

Dimensions

95x95x10mm



Variations


Switch	C	SC	V
Black	CISOB	SCISOB	VISOB
White	CISOW	SCISOW	VISOW
Matching Black	CISOPCB	SCISOSCB	VISOPBB
Matching White	CISOPCW	SCISOSCW	VISOPBW

2 Gang

13 Amp DP Switched Socket


Dimensions

150x95x10mm



Variations

Switch	C	SC	V
Black	C2SOB	SC2SOB	V2SOB
White	C2SOW	SC2SOW	V2SOW
Matching Black	C2SOPCB	SC2SOSCB	V2SOPBB
Matching White	C2SOPCW	SC2SOSCW	V2SOPBW




Switch	C	SC	V
Black	C5ASOB	SC5ASOB	V5ASOB
White	C5ASOW	SC5ASOW	V5ASOW

5 Amp Switched Socket

Dimensions

95x95x10mm

Variations



Switch	C	SC	V
Black	C45ASWASB	SC45ASWASB	V45ASWASB
White	C45ASWASW	SC45ASWASW	V45ASWASW
Matching Black	C45ASWASPCB	SC45ASWASSCB	V45ASWASPB
Matching White	C45ASWASPCW	SC45ASWASSCW	V45ASWASPBW

45 Amp DP Switch and Socket

Dimensions

150x95x10mm

Variations

Telephone Slave

Dimensions

95x95x10mm



Variations

Interior	 C	 SC	 V
Black	CISB	SCISB	VISB
White	CISW	SCISW	VISW

Telephone Master

Dimensions

95x95x10mm



Variations

Interior	 C	 SC	 V
Black	CIMB	SCIMB	VIMB
White	CIMW	SCIMW	VIMW



Interior	 C	 SC	 V
Black	CITVB	SCITVB	VITVB
White	CITVW	SCITVW	VITVW



Interior	 C	 SC	 V
Black	C2TVB	SC2TVB	V2TVB
White	C2TVW	SC2TVW	V2TVW

1 Gang

TV Outlet

Dimensions

95x95x10mm

Variations

2 Gang

TV Outlet

Dimensions

95x95x10mm

Variations



Sky + Socket

Dimensions

150x95x10mm



Variations

Interior	 C	 SC	 V
Black	CSKY+B	SCSKY+B	VSKY+B
White	CSKY+W	SCSKY+W	VSKY+W

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

95x150x10mm

Interior	 C	 SC	 V
Black	CSHSB	SCSHSB	VSHSB
White	CSHSW	SCSHSW	VSHSW

Variations

1 Gang

Blank Plate

Dimensions

95x95x10mm



Variations

 C	 SC	 V
CIB	SCIB	VIB

2 Gang

Blank Plate

Dimensions

150x95x10mm



Variations

 C	 SC	 V
C2B	SC2B	V2B



Eurolite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT

GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE



13A SOCKET OUTLETS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
13A FUSED CONNECTION UNITS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
10AX PLATE SWITCHES	4 x 1mm ² , 3 x 1.5mm ² , 1 x 2.5mm ²
20A DP SWITCHES	3 x 2.5mm ² , 2 x 4mm ² , 1 x 6mm ² , 1 x 10mm ²

1 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm



Variations

Switch	 G
Black	GISWB
White	GISWW
Matching	GISW

2 Gang

10 Amp 2 Way Switch


Dimensions

95x95x10mm



Variations

Switch	 G
Black	G2SWB
White	G2SWW
Matching	G2SW



Switch	 G
Black	G3SWB
White	G3SWW
Matching	G3SW



Switch	 G
Black	G4SWB
White	G4SWW
Matching	G4SW

3 Gang

10 Amp 2 Way Switch

Dimensions

95x95x10mm

Variations

4 Gang

10 Amp 2 Way Switch

Dimensions

150x95x10mm

Variations

20 Amp Intermediate Switch

Dimensions

95x95x10mm



Variations

Switch	 G
Black	GINTB
White	GINTW
Matching	GINT

20 Amp DP Switch

Dimensions

95x95x10mm



Variations

Switch	 G
Black	G20ASWB
White	G20ASWW
Matching	G20ASW



Switch	 G
Black	G20ASWNB
White	G20ASWNW
Matching	G20ASWN

20 Amp DP Switch and Neon

Dimensions

95x95x10mm

Variations

- CRABTREE INTERIOR
- NEXT DAY DELIVERY
- £100 CARRIAGE PAID
- COMPETITIVE PRICING



13 Amp Unswitched Fuse Spur

Dimensions

95x95x10mm



Variations

Interior	 G
Black	GUSWFB
White	GUSWFW

13 Amp DP Switched Fuse Spur

Dimensions

95x95x10mm



Variations

Switch	 G
Black	GSWFB
White	GSWFW
Matching Black	GSWFPBB
Matching White	GSWFPBW



Switch	 G
Black	GSWFNB
White	GSWFNW
Matching Black	GSWFNPBB
Matching White	GSWFNPBW



Switch	 G
Black	GSWFFOB
White	GSWFFOW
Matching Black	GSWFFOPBB
Matching White	GSWFFOPBW

13 Amp DP Switched Fuse and Neon

Dimensions

95x95x10mm

Variations

13 Amp DP Switched Fuse and Flex Outlet

Dimensions

95x95x10mm

Variations

**45 Amp DP Cooker Switch
Double Plate**

Dimensions

95x150x10mm



Variations

Switch	 G
Black	G45ASWNB
White	G45ASWNW



Switch	 G
Black	G45ASWNSB
White	G45ASWNSW



Switch	 G
Black	GFSWB
White	GFSWW
Matching	GFSW

**45 Amp Cooker Switch
Single Plate**

Dimensions

95x95x10mm

Variations

**Fan Isolator Switch
Triple Pole**

Dimensions

95x95x10mm

Variations

1 Gang

**400W and 800W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt	 G
400W	G1D400
800W	G1D800

2 Gang

**400W
Dimmer Switch**

Dimensions

95x95x10mm



Variations

Watt	 G
400W	G2D400



Watt	 G
400W	G3D400



Watt	 G
400W	G4D400

3 Gang

**400W
Dimmer Switch**

Dimensions

150x95x10mm

Variations

4 Gang

**400W
Dimmer Switch**

Dimensions

150x95x10mm

Variations



1 Gang

13 Amp DP Switched Socket

Dimensions

95x95x10mm



Variations

Switch	 G
Black	GISOB
White	GISOW
Matching	GISOPBB
Black Matching	GISOPBW
White	

2 Gang

13 Amp DP Switched Socket

Dimensions

150x95x10mm



Variations

Switch	 G
Black	G2SOB
White	G2SOW
Matching	G2SOPBB
Black Matching	G2SOPBW
White	



Switch	 G
Black	G5ASOB
White	G5ASOW



Switch	 G
Black	G45ASWASB
White	G45ASWASW
Matching Black	G45ASWASPB
Matching White	G45ASWASPBW

5 Amp Switched Socket

Dimensions

95x95x10mm

Variations

45 Amp DP Switch and Socket

Dimensions

150x95x10mm

Variations

Telephone Slave

Dimensions

95x95x10mm



Variations

Interior	 G
Black	GISB
White	GISW

Telephone Master

Dimensions

95x95x10mm



Variations

Interior	 G
Black	GIMB
White	GIMW



Interior	 G
Black	GITVB
White	GITVW



Interior	 G
Black	G2TVB
White	G2TVW

1 Gang

TV Outlet

Dimensions

95x95x10mm

Variations

2 Gang

TV Outlet

Dimensions

95x95x10mm

Variations



Sky + Socket

Dimensions

150x95x10mm

Variations



Interior	 G
Black	GSKY+B
White	GSKY+W

- FULL RANGE OF TV, RADIO AND SATELLITE MODULES IN SINGLE, TWIN, TRIPLE AND QUAD FORMATS.
- INCLUDES TELEPHONE MASTER, SLAVE, DATA AND SPEAKER MODULES.
- AVAILABLE IN BLACK OR WHITE.



Shaver Socket

Dimensions

95x150x10mm

Interior	 G
Black	GSHSB
White	GSHSW

Variations

1 Gang

Blank Plate

Dimensions

95x95x10mm



Variations



2 Gang

Blank Plate

Dimensions

150x95x10mm



Variations





EuroLite utilise Crabtree capital power and control interiors which are fully design co-ordinated to offer consistent styling and inherent safety features across a broad range of applications.

Features include:

- Large concave rockers for ease of operation especially for the elderly and infirm.
- Labyrinth switch design to minimise visible arc flash and prevents front access to live parts.
- Large tunnel terminals with Live and Neutral angled for ease of wiring and to assist installation.
- Socket outlets with twin earth terminals as standard for high integrity earthing.
- Padlockable Fused Connection Unit carrier for extra on-site maintenance safety.
- Optional neon indicator for visual "ON".
- Positive drive action prevents balancing between ON and OFF position.
- Double pole product marking on moulded rocker to easily identify once product has been installed.
- Substantial silver alloy contacts for longer life and low contact resistance.
- 3mm contact gap ensures safe means of isolation.
- Individually boxed to protect product before installation.
- Metal rockers to harmonise with the decorative plate finish.
- Modular grid products enables units to be quickly and easily assembled to customers' individual specifications allowing several circuits to be controlled from a single position.

RECOMMENDED QUANTITY OF SOCKET OUTLETS FOR DOMESTIC INSTALLATIONS

An installation may have too few socket outlets or the existing socket outlets may be incorrectly sited. Both conditions are symptomatic of an inadequate installation which could lead to potentially dangerous improvisation. The following is a summary of the recommendations of the Electrical Installation Industry Liaison Committee and all socket outlets should be of the twin switched type.

NUMBER OF SOCKETS ROOM	6 KITCHEN	6 LOUNGE	4 DINING ROOM
4 DOUBLE BEDROOM	4 SITTING ROOM	4 SINGLE BEDROOM	1 LANDING/STAIRS
2 HALL	2 GARAGE	2 STORE/WORKROOM	1 CENTRAL HEATING BOILER POINT

GUIDE TO THE TERMINAL CAPACITIES OF THE PRINCIPAL WIRING ACCESSORIES - PRODUCT/CONDUCTOR SIZE



13A SOCKET OUTLETS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
13A FUSED CONNECTION UNITS	3 x 2.5mm ² , 2 x 4mm ² , 2 x 6mm ²
10AX PLATE SWITCHES	4 x 1mm ² , 3 x 1.5mm ² , 1 x 2.5mm ²
20A DP SWITCHES	3 x 2.5mm ² , 2 x 4mm ² , 1 x 6mm ² , 1 x 10mm ²

Grid Range



- MULTI GRID OPTIONS AVAILABLE
- 1 - 24 GANG
- VARIOUS INTERIOR OPTIONS
BLACK, WHITE AND METAL
- KEY SWITCHES
- ENGRAVED SWITCHES
- FLEX OUTLETS
- FOR FURTHER DETAILS CONTACT
SALES OFFICE ON 01772 672020



Modular Range

- DATA
- TV
- HDMI
- TELEPHONE
- SATELLITE
- QUAD
- TRIPLEX
- DUPLEX
- LOUD SPEAKER
- RCA
- ANY INTERIOR
- AVAILABLE IN MOST FINISHES

Ceiling Pull Switch

Dimensions

83mm Dia.



Variations

CP	SC	PB
CPPULL	SCPULL	BPULL

Shaped Bell Push

Dimensions

76x38mm



Variations

C	SC	V
CBP	SCBP	VBP



Architrave Switch

Dimensions

35x86mm

Variations

Switch	 CP	 SC	 PB
Black	CARCB	SCARCB	PBARCB
White	CARCW	SCARCW	PBARCW
Matching Black	CARPCB	SCARCSCB	PBARCPBB
Matching White	CARPCW	SCARCSCW	PBARCPBW



Eurolite Ltd, Unit 21, Progress Business Park, Orders Lane, Kirkham, Preston, PR4 2TZ

Tel: 01772 672020 Fax: 01772 672030 Web: www.eurolite.co.uk